

BYTEM-123-PC

Panel PC - 12.1" - Processeur Intel® Atom™ E3845 - Certifié EN50155 - Dalle tactile PCAP



Spécifications

Panel Type	12.1" TFT-LCD
Resolution	1024 x 768
Contrast Ratio	800:1
Viewing Angles	170/170
Backlight	30000(H)
Luminance	350 cd/m ²
Touch Type	Projected capacitive, 2 points
CPU Type	Intel® Atom™ Processor E3845 (Quad-Core @ 1.91GHz)
Memory	2x DDR3L SO-DIMM, up to 8GB, default DDR3L 4GB(4GBx1)
LAN	2x 10/100 LAN with M12 connector
Expansion Slots	1x mPCI-E (x1) w/ USB signal [half-size] 1x mSATA/mPCI-E (x1) w/ USB signal and mSATA supports [full-size]
I/O Interface	1x USB 3.0 2x USB 2.0 (Type-A + M12) 1x RS232/422/485"
Power Requirement	4-pin M12 connector 24V DC (default) power input Optional 48V DC, 72V DC & 110V DC
Construction	Aluminum front bezel and back cover IP65 front bezel/ IP54 for whole unit with I/O cover
Weight	3.6 kgs
Chassis	Silver/Silver
Storage	1x 2.5" SATA
Mounting	Wall mount and VESA 75x75 mm
Dimensions	335mm(W) x 267mm(D) x 72.1mm(H) 13.18"(W) x 10.51"(D) x 2.83"(H)
Operating Temperature	-25°C~ 55°C
Storage Temperature	-30°C~70°C
Relative Humidity	10%~90% (non-condensing)
Vibration	IEC61373
Certification	CE/FCC Class B EN50155-T1
Operating System	Windows 8 32/64 bit, Windows 7 Pro for Embedded 64 bit, WES7 64 bit

Points Forts

- Certification EN50155
- Face avant IP65 & Châssis IP54
- Design True-Flat
- 2 x M12 LAN - 1 x M12 USB
- Entrée 24VDC - Connecteur M12
- Options : 48VDC/72VDC/110VDC
- Clavier membrane programmable
- Kit rackable



Référence de Commande

BYTEM-123-PC	12.1" (1024 x 768) Panel PC with IB897, Intel® Atom™ Processor E3845 1.91GHz, 4GB DDR3L SO-DIMM, 64G SSD, projected capacitive touch, w/o power adaptor
Power adaptor (optional)	AC 100V~240V input, 24V DC output 90W power adaptor, IBASE P/N: A005PS090W0100600P

Dimensions

